MENINGOCOCCAL

WHAT YOU NEED TO KNOW

MENINGOCOCCAL DISEASE (BACTERIAL MENINGITIS) CAUSED BY BACTERIA (NEISSERIA MENINGITIDIS), THOUGH RARE CAN DEVELOP RAPIDLY AND CAN BE POTENTIALLY DEADLY.

> MAINLY CAUSED BY 5 TYPES: A-B-C-W-Y



SYMPTOMS

- SUDDEN HIGH FEVER
- LIGHT SENSITIVITY
- HEADACHE
- STIFF NECK
- NAUSEA
- VOMITING
- CONFUSION
- SEIZURES



SPREAD THROUGH ORAL SECRETIONS VIA COUGHING OR KISSING, OR LENGTHY CONTACT IN THE SAME HOUSEHOLD.



IT TAKES TWO TYPES OF MENINGITIS VACCINES TO BE FULLY VACCINATED.

- MENACWY: TWO DOSES
 - 1ST DOSE AT 11-12 YEARS
 - 2ND DOSE AT 16 YEARS
- MENB: TWO DOSES
 - 1ST DOSE AT 16-23 YEARS
 - 2ND DOSE 1-6 MONTHS AFTER 1ST



FOR MORE INFORMATION VISIT: WWW.CDC.GOV/MENINGOCOCCAL